



Cordless MULTIMASTER AMM 700 Max AS 4 Ah with nylon bag

Battery-powered oscillating multi-tool

Powerful 18-accessory battery multitool for sawing and grinding. Always on the go with everything at your fingertips in the convenient nylon bag, including an 18 V 4 Ah battery and charger.

Part number: 7 129 36 65 00 0

FEIN benefits

- > Anti-vibration system: continuously safe and pleasant working thanks to minimal vibrations and outstanding noise insulation.
- > StarlockMax tool mounting: more work progress and greater precision thanks to 100% power transmission without losses.
- > QuickIN: tool changes in less than 3 seconds thanks to the patented tool-free FEIN rapid clamping system.
- > With the StarlockMax tool mounting, you can access around 180 FEIN accessories from the Starlock, Starlock Plus and StarlockMax performance classes.
- > 18 V FEIN PowerDrive motor: very powerful and virtually wear-free, brushless motor offering great efficiency, ability to handle extreme loads and a long service life.
- > Tacho generator: constant speeds even under load and infinitely variable electronic speed control.
- > Metal gearbox: ability to withstand high loading and outstanding service life because all the gearbox parts are made from metal.
- > Mechanical interface: for stationary operation in the table or drill jig holder or for securing the depth stop.
- > Electronic Cell Protection (ECP): ECP protects against overload, overheating and total discharge.
- > The COOLPACK technology ensures a longer battery life and therefore makes long operating periods possible.
- > The battery charge can be read off the battery.
- > Compatible with AMPShare/Bosch Professional 18 V batteries.
- > Electronic safety cut-off – user protection should the saw blade lock, for example.

Supplied

- ✓ 1 saw blade SLP E-Cut LL BIM 50x50
- ✓ 1 sanding pad, non-perforated
- ✓ 1 nylon bag
- ✓ 1 saw blade SLP E-Cut LL BIM 50x35
- ✓ 1 Li-ion battery pack (18 V / 4 Ah)
- ✓ Sanding sheets, non-perforated (5 each K60, 80, 120)
- ✓ 1 rapid charger GAL 1880 CV AS

Technical data

GENERAL TECHNICAL DATA

Battery voltage	18 V
Battery capacity	4 Ah
Battery compatibility	Li-ion / ProCORE Li-ion
Battery interface	18 V AMPShare
Oscillations	10,000 - 19,500 rpm
Tool Holder	StarlockMax
Tool change	QuickIN
Amplitude	2 x 2,0°
Weight without storage battery	1.10 kg

VIBRATION AND NOISE EMISSION VALUES

Sound pressure level LpA	76,0 dB
Uncertainty of measured value KpA	3 dB
Sound power level LWA	84,0 dB
Uncertainty of measured value KWA	3 dB
Sound peak value LpCpeak	88,4 dB
Uncertainty of measured value KpCpeak	3 dB

Examples of use



Powered by  **BOSCH**

**Kompatibel mit
AMPShare-/ Bosch
Professional 18 V
Akkus.** | Compatible
with AMPShare/Bosch

Professional 18 V batteries. | Compatible avec
les batteries 18 V AMPShare/Bosch Professional. |
Compatible con baterías AMPShare/Bosch
Professional de 18 V. | Compatibile con le batterie
AMPShare / Bosch Professional da 18 V.

