



## Cordless MULTIMASTER AMM 500 AS 2 Ah with nylon bag

Battery-powered oscillating multi-tool

Powerful 18-accessory battery multitool for sawing and grinding. Always on the go with everything at your fingertips in the convenient nylon bag, including an 18 V 2 Ah battery and charger.

Part number: 7 129 38 69 00 0

### FEIN benefits

- > Anti-vibration system: continuously safe and pleasant working thanks to minimal vibrations and outstanding noise insulation.
- > StarlockPlus tool mounting: more work progress and greater precision thanks to 100% power transmission without losses.
- > QuickIN: tool changes in less than 3 seconds thanks to the patented tool-free FEIN rapid clamping system.
- > With the StarlockPlus tool mounting, you can access around 100 FEIN accessories from the Starlock and StarlockPlus performance classes.
- > DC motor: effective and powerful motor technology offering virtually the same power as the mains-powered version.
- > Tacho generator: constant speeds even under load and infinitely variable electronic speed control.
- > Metal gearbox: ability to withstand high loading and outstanding service life because all the gearbox parts are made from metal.
- > Mechanical interface: for stationary operation in the table or drill jig holder or for securing the depth stop.
- > Electronic Cell Protection (ECP): ECP protects against overload, overheating and total discharge.
- > The COOLPACK technology ensures a longer battery life and therefore makes long operating periods possible.
- > The battery charge can be read off the battery.
- > Compatible with AMPShare/Bosch Professional 18 V batteries.

### Supplied

- ✓ 1 saw blade SLP E-Cut LL BIM 50x50
- ✓ 1 sanding pad, non-perforated
- ✓ 1 nylon bag
- ✓ 1 saw blade SLP E-Cut LL BIM 50x35
- ✓ 1 Li-ion battery packs (18 V / 2 Ah)
- ✓ Sanding sheets, non-perforated (5 each K60, 80, 120)
- ✓ 1 rapid charger GAL 1880 CV AS

## Technical data

### GENERAL TECHNICAL DATA

|                                |                         |
|--------------------------------|-------------------------|
| Battery voltage                | 18 V                    |
| Battery capacity               | 2 Ah                    |
| Battery compatibility          | Li-ion / ProCORE Li-ion |
| Battery interface              | 18 V AMPShare           |
| Oscillations                   | 11,000 - 18,500 rpm     |
| Tool Holder                    | StarlockPlus            |
| Tool change                    | QuickIN                 |
| Amplitude                      | 2 x 1,7°                |
| Weight without storage battery | 1.30 kg                 |

### VIBRATION AND NOISE EMISSION VALUES

|                                       |         |
|---------------------------------------|---------|
| Sound pressure level LpA              | 76,0 dB |
| Uncertainty of measured value KpA     | 3 dB    |
| Sound power level LWA                 | 84,0 dB |
| Uncertainty of measured value KWA     | 3 dB    |
| Sound peak value LpCpeak              | 88,4 dB |
| Uncertainty of measured value KpCpeak | 3 dB    |

## Examples of use



Powered by  **BOSCH**

**Kompatibel mit  
AMPShare-/ Bosch  
Professional 18 V  
Akkus.** | Compatible  
with AMPShare/Bosch

Professional 18 V batteries. | Compatible avec  
les batteries 18 V AMPShare/Bosch Professional. |  
Compatible con baterías AMPShare/Bosch  
Professional de 18 V. | Compatibile con le batterie  
AMPShare / Bosch Professional da 18 V.

