



RS 17-70 E

Pipe sander

Pipe sander with extremely high sanding capacity for stainless steel pipes and pipe bends up to 80 mm in diameter.

Part number: 7 222 75 60 00 0

FEIN benefits

- > Effective sanding of welded seams thanks to optimum cutting speeds of the sanding belts.
- > Infinitely variable speed, ideal for sanding, satin finishing, brushing and high-gloss polishing of stainless steel.
- > Flexible sanding belts optimally adapt to even narrow pipe bends, creating surfaces without awkward transitions.
- > 360° peripheral sanding in just 2 steps.
- > Optional guide pulleys for narrow distances from the wall.
- > Restart lock.
- > Dustproof ball bearing.
- > Wide range of accessories.

Features

✓ Soft start

✓ Restart protection

Application

Polishing



Rough sanding



Dry sanding



★ suitability

★★ optimal suitability

Technical data

GENERAL TECHNICAL DATA

Input	1,700 W
Output	1,000 W
Speed, no load	2,700 - 8,500 rpm
Minimum wall clearance	50 mm
Belt speed	9 - 27 m/sec
Pipes up to Ø	8 - 80 mm
Belt size	20/40 x 815 mm
Cable with plug	4 m
Weight according to EPTA	4.30 kg

VIBRATION AND NOISE EMISSION VALUES

Sound pressure level LpA	94,1 dB
Uncertainty of measured value KpA	3 dB
Sound power level LWA	102,3 dB
Uncertainty of measured value KWA	3 dB
Sound peak value LpCpeak	107,9 dB
Uncertainty of measured value KpCpeak	3 dB
Vibration value 1 dhv 3-way	5,9 m/s ²
Uncertainty of measured value Kα	1,5 m/s ²

Examples of use

