



## FEIN VersaMAG vice set

Magnetic vice with a jaw width of 100 mm.

Compact and powerful permanent magnet with vice for clamping various components on magnetic surfaces without the need for any tools.

Part number: 9 07 01 003 02 0

### FEIN benefits

- > Mobile, flexible and swift use. Adapts to every workstation thanks to the compact design and extra-narrow permanent magnet.
- > Optimises every workstation: clean and reliable working with versatile application options.
- > Modular system: the unique modular system ensures a secure hold in a very wide range of work situations and the right accessories can be added at any time.
- > The vice has a clamping range of 108 mm and a jaw width of 100 mm.
- > Interchangeable clamping jaws of various heights for clamping larger materials such as sheet metal and pipes.
- > Up to 7800 N holding force for reliable clamping on all magnetic surfaces thanks to an innovative 2-rotor system – even when working with thin sheet metals (from a thickness of 4 mm).
- > Clamping in tight sports or on vertical levels? Not a problem with the compact design and extra-narrow permanent magnet.
- > 30% magnetic bias for precise alignment of the permanent magnet.
- > Secure clamping of components for further machining with various power tools, e.g. angle grinders, drill/drivers, saws, MULTIMASTER etc.

### Supplied

- ✓ 1 x permanent magnet
- ✓ 1 x 3 mm socket head wrench
- ✓ 1 x mounting plate
- ✓ 1 lashing strap
- ✓ 1 x vice

## Technical data

### GENERAL TECHNICAL DATA

Chuck opening	108 mm
Jaw height	40 mm
Jaw width	100 mm
Magnetic holding power	7,800 N
Magnetic foot dimensions	212 x 70 mm
Weight according to EPTA	7.25 kg

Examples of use

# VERSAMAG SYSTEM



