



FEIN VersaMAG Vise Set including aluminum jaw protectors

Magnetic vice with a jaw width of 100 mm.

Compact and powerful permanent magnet with vise for tool-free clamping of various components on magnetic surfaces. Includes FEIN VersaMAG protective jaw pair (P) Prism 110 mm and protective jaw pair (B) Blank 110 mm made of aluminum. No scratching of the material - Highest quality even with sensitive workpieces such as stainless steel, aluminum or plastics.

Part number: 9 07 01 009 00 0

FEIN benefits

- > Pair of protective jaws set (P) Prisma and (B) Blank Aluminium: Clamping of flat material possible without any problems thanks to the upper 90° groove. No scratching of the material - highest quality even with sensitive workpieces such as stainless steel, aluminium or plastics. No wobbling or slipping of the workpiece thanks to the protective jaws. The FEIN premium quality of the protective jaws guarantees durability while protecting the materials. Saves reworking time and increases the productivity of sensitive workpieces.
- > Mobile, flexible and swift use. Adapts to every workstation thanks to the compact design and extra-narrow permanent magnet.
- > Optimises every workstation: clean and reliable working with versatile application options.
- > Modular system: the unique modular system ensures a secure hold in a very wide range of work situations and the right accessories can be added at any time.
- > 30% magnetic bias for precise alignment of the permanent magnet.
- > The vice has a clamping range of 108 mm and a jaw width of 100 mm.
- > L-BOXX 238 case with appropriate inlay for the FEIN VersaMAG vice set with a jaw width of 100 mm. Keep things stowed clearly, tidily and safely. Thanks to the tray for small parts, there is room for all accessories and the L-BOXXs can also be joined together and stacked with ease.

Supplied

- | | | |
|---|------------------------------------|--|
| ✓ 1 x permanent magnet | ✓ 1 x mounting plate | ✓ 1 x vice |
| ✓ 1 x 3 mm socket head wrench | ✓ 1 x lashing strap | ✓ 2 x B (Blank) aluminium jaws |
| ✓ 2 x P (Prism) aluminium jaws, up to diameter of 30 mm | ✓ 1 plastic tool case (L-BOXX 238) | ✓ 1 x inlay for FEIN VersaMAG vice set |



Technical data

GENERAL TECHNICAL DATA

Chuck opening	108 mm
Jaw height	40 mm
Jaw width	100 mm
Magnetic holding power	7,800 N
Magnetic foot dimensions	212 x 70 mm
Weight according to EPTA	10.95 kg

Examples of use

VERSAMAG SYSTEM





