

FEIN Dustex 25 L set

Wet / dry dust extractor

Compact, powerful wet and dry dust extractor for connecting to power tools when working in the workshop and for assembly work, with large accessory set.

Part number: 9 20 35 060 00 0



FEIN benefits

- > Powerful turbine for 72 l/s volumetric flow and 253 mbar vacuum (240V).
- > Low noise level of 67 dB (A).
- > The 7.5 m mains cable and 4 m hose provide a large working radius.
- > Anti-static function for preventing static charging during work – electrostatically discharging thanks to optional suction hose 3 13 45 120 01 0 and tool collar 3 13 45 300 01 0.
- > Large, 360° rotating castors for optimum manoeuvrability even in tight spaces.
- > Tool collar with suction force regulation to set the suction power with ease.
- > Auto start socket with switch-on delay to avoid power surges.
- > Practical storage area with edge.
- > Approval for dust class L.

Supplied

- ✓ 1x 4 m suction hose, diameter 35 mm
- ✓ 1 Flat-fold filter
- ✓ 1 groove nozzle
- ✓ 1 tool collar with suction force regulation
- ✓ 2 suction pipes (metal)
- ✓ 1 suction brush
- ✓ 1 Fleece filter bag
- ✓ 1 combi nozzle with interchangeable inserts
- ✓ 1 elbow

Features

- ✓ Soft start
- ✓ Automatic start/stop
- ✓ Antistatic preparation

Technical data

GENERAL TECHNICAL DATA

| | |
|--------------------------|-------------|
| Maximum power input | 1,380 W |
| Air flow | 4,320 l/min |
| Max. vacuum | 253 hPa |
| Tank volume | 22 l |
| Cable with plug | 7.5 m |
| Weight according to EPTA | 8.00 kg |

Examples of use



